1/18





FIG.1

2/18







FIG.4

N(CH3CH3)2 $(CH_3CH_2)_2\overline{N}$ **#** $\sqrt{N}(CH_3CH_3)_2$ COLORLESS LACTONE FORM $\dot{\rm M}({\rm CH_3})_2$ $(CH_3CH_2)_2\overline{N}$

 $(cH_3cH_2)_2\overline{N}$ $(cH_3cH_2)_2\overline{N}$ $(cH_3cH_3)_2$ $N(cH_3)_2$

FIG.3

BLUE COLORED QUININOID FORM








FIG.7A FIG.7B FIG.7C

FIG.7A



10082026 . OE2002



looseoes "oeeooe





FIG.8C FIG.8


FIG.8B

TEXTURED SURFACE


FIG.8A



loosedes "Deedde




locacie .cecoe




PROTECTIVE COATING

FIG.9

FIG.9A





looerore.chron




FIG.10




FIG.12

15/18

TIME (HOURS)	WEIGHT LOSS (mg)
0	0
2.33	1.5
19.93	9.2
26.50	11.9
43.17	17.8
51.33	20.8

WEIGHT LOSS (mg) OF ADAMANTANE BY SUBLIMATION FROM A DISK 0.785 cm 2 IN AREA AS FUNCTION OF TIME AT ROOM TEMPERATURE




FIG.11





FIG.13






FIG.15




FIG.16